

# Vector Spaces

01/11/2007

Lecture 2

# Vector Spaces

- A **vector space** (or **linear space**)  $V$  over a field  $F$  consists of a set on which two operations (called **addition** and **scalar multiplication**, respectively) are defined such that
  1. For all  $x, y$  in  $V$ ,  $x + y = y + x$ .
  2. For all  $x, y, z$  in  $V$ ,  $(x + y) + z = x + (y + z)$ .
  3. There exists an element in  $V$  denoted by  $0$  such that  $x + 0 = x$  for each  $x$  in  $V$ .
  4. For each element  $x$  in  $V$  there exists an element  $y$  in  $V$  such that  $x + y = 0$ .
  5. For each element  $x$  in  $V$ ,  $1x = x$ .
  6. For each pair of elements  $a, b$  in  $F$  and each element  $x$  in  $V$ ,  $(ab)x = a(bx)$ .

7. For each element  $a$  in  $F$  and each pair of elements  $x, y$  in  $V$ ,  $a(x + y) = ax + ay$ .
8. For each pair of elements  $a, b$  in  $F$  and each element  $x$  in  $V$ ,  $(a + b)x = ax + bx$ .

7. For each element  $a$  in  $F$  and each pair of elements  $x, y$  in  $V$ ,  $a(x + y) = ax + ay$ .
  8. For each pair of elements  $a, b$  in  $F$  and each element  $x$  in  $V$ ,  $(a + b)x = ax + bx$ .
- The elements of the field  $F$  are called **scalars**.
  - The elements of the vector space  $V$  are called **vectors**.

# Cancellation Law for Vector Addition

**Theorem.** *If  $x, y,$  and  $z$  are vectors in a vector space  $V$  such that  $x + z = y + z,$  then  $x = y.$*

# Cancellation Law for Vector Addition

**Theorem.** *If  $x, y,$  and  $z$  are vectors in a vector space  $V$  such that  $x + z = y + z,$  then  $x = y.$*

- The vector  $0$  is unique and it is called the **zero vector**.
- The vector  $y$  is unique and it is called the **additive inverse**  $-x.$

# Properties of Scalar Multiplication

**Theorem.** *In any vector space  $V$ , the following statements are true:*

1.  $0x = 0$  for each  $x \in V$ .
2.  $(-a)x = -(ax) = a(-x)$  for each  $a$  in  $F$  and each  $x$  in  $V$ .
3.  $a0 = 0$  for each  $a \in F$ .