

Taylor and Maclaurin Series

October 18, 2006

- The question is which functions have power series representations and how can we find representations of functions as power series?

- The question is which functions have power series representations and how can we find representations of functions as power series?
- Suppose that f is a function such that

$$f(x) = c_0 + c_1(x - a) + c_2(x - a)^2 + c_3(x - a)^3 + \dots$$

for $|x - a| < R$.

- Can we determine the coefficients?

The answer is: YES

If f has a power series representation at a , then the coefficients are given by the formula

$$c_n = \frac{f^{(n)}(a)}{n!}$$

The answer is: YES

If f has a power series representation at a , then the coefficients are given by the formula

$$c_n = \frac{f^{(n)}(a)}{n!}$$

- The **Taylor series of the function f at a** is

$$f(x) = f(a) + \frac{f'(a)}{1!}(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \frac{f'''(a)}{3!}(x-a)^3 + \dots$$

The case $a = 0$

- The Maclaurin series

$$f(x) = f(0) + \frac{f'(0)}{1!}x + \frac{f''(0)}{2!}x^2 + \dots$$

Examples

- Find the Maclaurin series of the function $f(x) = e^x$.

Examples

- Find the Maclaurin series of the function $f(x) = e^x$.
- Find the first four nonzero terms in the Maclaurin series of $f(x) = \cos(3x)$.

Examples

- Find the Maclaurin series of the function $f(x) = e^x$.
- Find the first four nonzero terms in the Maclaurin series of $f(x) = \cos(3x)$.
- Find the first four nonzero terms of the Taylor series of $\sin x$ at $\pi/4$.

Examples

- Find the Maclaurin series of the function $f(x) = e^x$.
- Find the first four nonzero terms in the Maclaurin series of $f(x) = \cos(3x)$.
- Find the first four nonzero terms of the Taylor series of $\sin x$ at $\pi/4$.
- Find the Taylor series for $f(x) = x^3$ at $a = -1$.