# Paths, Curves and Arc Length

Rosa C. Orellana

April 12, 2010

#### **Definition of a path**

Let I = [a, b] be a closed interval for some numbers a < b.  $I \subseteq \mathbb{R}$ .

**Definition:** A path in  $\mathbb{R}^n$  is a continuous function  $\mathbf{x}: I \to \mathbb{R}^n$  where  $\mathbf{x}(a)$  and  $\mathbf{x}(b)$  are the **endpoints** of the path  $\mathbf{x}$ .

## Velocity, speed and acceleration

Let  $\mathbf{x}:I\to\mathbb{R}^n$  be a differentiable path. Then

- The **velocity**  $\mathbf{v}(t) = \mathbf{x}'(t)$ .
- The **speed** is  $\|\mathbf{v}(t)\|$ .

• The acceleration is a(t) = v'(t) = x''(t).

#### Parametric equation of the tangent line

Let  $\mathbf{x}: I \to \mathbb{R}^n$  be a path and  $\mathbf{v}(t_0) \neq \mathbf{0}$ . Then the parametric equation of the tangent line at  $t_0$  to the path  $\mathbf{x}$  is

$$l(t) = x(t_0) + (t - t_0)v(t_0).$$

## Length of a path

**Definition:** The length  $L(\mathbf{x})$  of a differentiable path  $\mathbf{x}:[a,b]\to\mathbb{R}^n$  is the integral of its speed

$$L(\mathbf{x}) = \int_a^b \|\mathbf{x}'(t)\| \ dt$$